Environmental Product Declaration

In accordance with ISO 14001 & 9001

Abstracta Owner of declaration **Domo** Product

abstracta



Product: Domo Wall



Dimensions (wxhxd mm): 600x600x34 Product range: Wall absorbers Article number: 182 900 00 Issue date: 16.02.2023



Content:

Material	Specification	Weight(g)	Share(%)	Disposal
Steel	Screws and lists	630	17,7	Recycling
Wood*	Solid pine frame	2 200	61,6	Recycling
Textile*	Polyester or wool upholstery	415	11,6	Energy recovery
Polyester	Sound absorbing polyester filling	266	7,5	Energy recovery
Adhesive	Water based wood glue	58	1,6	Energy recovery
Total		3 569	100	
Packaging - Paper	Cardboard	550		

Weight may vary *

Acoustic qualities:



ABSORBTION

Disposal:

ENERGY RECOVERY 21% RECYCLING 79%

ENVIRONMENTAL ASPECTS DOMO

- There are no emissions to air, water or land at the Abstracta factory during production of Domo.
- The materials in Domo is recyclable, either as material recycling or energy recovery.
- Consumed products are disassembled and taken to a recycling center.

QUALITY DOMO

Domo is labeled with Swedish Möbelfakta which includes quality, environment and social responsibility. Domo is manufactured on the basis of technical, environmental and production ethical requirements.

Domo is reported on acoustic facts.com as a single object. Acoustic facts offers a correct and objective acoustic comparison with other products.

CARE INSTRUCTIONS DOMO

To preserve the fabric color and appearance of the fabric, Domo should be vacuumed regularly with a soft nozzle. Polyester Stain Removal: Use uncolored paper towel or cloth to soak up as much as possible of the stain. Dried stains should be vacuumed. Moisten the stain lightly with a clean white cotton cloth, lukewarm water and possibly a small amount of pHneutral detergent. Press a dry cloth or uncolored paper towel against the fabric so that moisture and dirt are absorbed. Repeat moisten and soaking until the stain is gone. Use clean water without detergent at the last moistening. Finish with soaking. Wool Stain Removal: Dab or wipe gently with a moist cloth.