


# Citadel

Farverne er kun vejledende og kan variere fra skærm til stofprøver.

## GRUPPE 1 (standard)



Fortress FL821




Ralstone FL768



Augusta FL125



Elevation FL827



Drawbridge FL828




Abide FL829




Stillwater FL757




Resistance FL830



Defence FL831



Hamilton FL010



Craven FL019




Palma FL114



Beacon FL822




Redoubt FL832



Confine FL833



Lysegrå FL836




Anthracit FL835




Hideaway FL824




Manor FL823



Lookout FL825



Bingham FL801



Redstone FL076

## SPECIFIKATIONER

Composition	100% Flame Retardant Polypropylene
Light fastness	6 (ISO 105 - B02)
Guarantee	10 years

### Flammability

EN 1021 - 1&2 (cigarette & match)  
BS 7176 Low Hazard  
DIN 4102 B1  
ÖNORM B 3825 & A 3800-1 (58kg/m<sup>3</sup> CMHR Foam)  
UNI 9175 Classe 1 IM  
EN 13501-1 Adhered Class B, s1, d0  
EN 13501-1 Un-adhered Class B/C, s1, d0

# Era

Farverne er kun vejledende og kan variere fra skærm til stofprøver.

GRUPPE 2 (tillægspris 10%)



CSE30  
Transition



CSE01  
Futurist



CSE38  
Allowance



CSE39  
Youth



CSE20  
Aeon



CSE40  
Maturity



CSE15  
Stage



CSE08  
Chapter



CSE43  
Late




CSE42  
Range



CSE10  
Everlasting




CSE12  
Perennial



CSE33  
Analogue



CSE07  
Period



CSE18  
Event



CSE34  
Endurance



CSE16  
Timelapse



CSE35  
Signature



CSE36  
Notation



CSE37  
Rest



CSE09  
Prime



CSE41  
Quota



CSE23  
Occurrence



CSE13  
Present



CSE02  
Generation




CSE21  
History



CSE46  
Memo



CSE44  
Elapse



CSE11  
Forecast



CSE31  
Splitsecond



CSE19  
Calendar



CSE25  
Sequence



CSE45  
Prompt



CSE27  
Measure



CSE03  
Lifetime



CSE32  
Occasion



CSE05  
Span



CSE29  
Experience



CSE06  
Cycle



CSE28  
Extent



CSE26  
Turn



CSE17  
Phase



CSE24  
Date



CSE14  
Forward

## SPECIFIKATIONER

Composition	100% Polyester
Light fastness	5 (ISO 105 - B02)
Guarantee	10 years

### Flammability

EN 1021 - 1&2 (cigarette & match) / BS 7176 Low Hazard  
EN 13501-1 Adhered Class B, s1, d0 / EN 13501-1 Un-adhered Class C, s1, d0

### Optional:

BS 5852 Ignition Source 5 with EnviroFlam5 / BS 7176 Medium Hazard with EnviroFlam5  
The Furniture and Furnishing (Fire Safety) Regulations 1988  
(UK domestic cigarette and match) with EnviroFlam5  
DIN 4102 B1 with FR Treatment (Gorts) / EN 13773 Class 1 with FR Treatment (Gorts)  
BS 5867-2: Type B Curtains & Drapes with FR Treatment (Gorts)

# Quest

Farverne er kun vejledende og kan variere fra skærm til stofprøver


GRUPPE 3 (tillægspris 30%)



QUE01  
Depth



QUE02  
Fossil




QUE03  
Barnacle



QUE04  
Mussel



QUE05  
Quartz



QUE06  
Shell



QUE08  
Whelk



QUE09  
Limpet



QUE11  
Wave




QUE12  
Tide



QUE13  
Sea Grass



QUE14  
Algae



QUE15  
Kelp



QUE16  
Sea Foam



QUE17  
Urchin



QUE18  
Abalone



QUE19  
Driftwood




QUE20  
Sandstone



QUE21  
Beach Comber



QUE23  
Cockle



QUE24  
Crab



QUE25  
Clay



QUE26  
Shrimp



QUE27  
Pebble

## SPECIFIKATIONER

Composition 100% post-consumer recycled polyester inclu. 75% SEAQUAL® YARN

Light fastness 4-6 (ISO 105 - B02)

### Flammability

EN 1021 - 1 & 2 (cigarette & match)  
BS 7176 Low Hazard and UNI 9175 Classe 1 IM  
BS 476 Part 7 Class 1Y (Adhered)  
EN 13501-1 Adhered Class B, s1, d0  
EN 13501-1 Un-adhered Class B, s1, d0  
BS 5852 Ignition Source 5 with Eco FR

Optional: Please specify when ordering  
BS 5852 Ignition Source 5 with EnviroFlam5 and BS 7176 Medium Hazard with Eco FR  
BS 7176 Medium Hazard with EnviroFlam5  
IMO FTP Code (Part 8) with Eco FR and IMO FTP Code (Part 8) with EnviroFlam5  
The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK domestic cigarette & match) with Eco FR  
The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK domestic cigarette and match) with EnviroFlam5 and DIN 4102 B1 with FR Treatment (Gorts)  
BS 5867-2: Type B Curtains & Drapes with FR Treatment (Gorts)  
EN 13773 Class 1 with FR Treatment (Gorts)