

FLOS

F4191009 White

Mini Glo-Ball Table

Designed by Jasper Morrison, 2003



Halogen - 25W

Table/desk lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and an injection-molded, white PBT (polybutylenterephthalate) threaded ring nut. Injection-molded, white PBT (polybutylenterephthalate) cover, base/ lamp-holder support.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607019993
Mounting	Table
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	G9
Iicos	HSGS
Number of heads	1
Power (W)	25

Physical

Colour	White
Length (mm)	120
Cord length (mm)	1500
Net weight (kg)	0.43
Package height (mm)	190
Package width (mm)	190
Package length (mm)	190
Package volume (m3)	0.01
IP internal	20



Download

Mounting instructions [↓ PDF](#)

Spare Parts [↓ PDF](#)

Photometric Files

LDT / IES [↓ LDT](#)

Technical Drawings


2D [↓ ZIP](#)

3D [↓ ZIP](#)

[Bim](#) [↓ ZIP](#)



Schematic light drawing



Photometric

Light distribution

Roto symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Switch Integrated (Remote Dimmable)
Plug type	Type C
Batteries inside	No

Bulbs



NOT INCLUDED

RF26520

LED Lamp 2W 240lm G9 220-240 2700K T13 Non Dimmable



NOT INCLUDED

RF28425

LED BiPin Lamp G9 3W 2700K Non Dimmable

Spare Parts



- 01. Mini Glo-Ball Ceiling/Wall & Table RF4190400
new diffuser assembly
- 02. Assembly Electrical Wiring with RF32896
Switch White

DOWNLOAD



RF4190400

Mini Glo-Ball Ceiling/Wall & Table
new diffuser assembly



RF32896

Assembly Electrical Wiring with
Switch White